
H •¹C •²By •³11 •¹12 •²13 •³

chain nodes :
6 7 8 9 10 11 13 18 19 20 23

ring nodes :

1 2 3 4 5

ring/chain nodes :

12

chain bonds :

1-7 2-6 4-10 5-8 8-9 8-18 18-19 19-20 20-23

ring bonds :

1-2 1-5 2-3 3-4 4-5

exact/norm bonds :

1-2 1-5 1-7 2-3 2-6 3-4 4-5 4-10 5-8 8-9 8-18 18-19 19-20 20-23


G1: [*1], [*2], [*3]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 9:CLASS 10:CLASS
11:CLASS 12:CLASS 13:Atom 18:CLASS 19:Atom 20:CLASS 23:Atom

10/616031

=>
Uploading C:\Program Files\Stnexp\Queries\10616031-2.str



H¹

I¹

C²

I²

H³

I³

chain nodes :
6 7 8 9 10 11 13 18 19 20 23
ring nodes :
1 2 3 4 5
ring/chain nodes :
12
chain bonds :
1-7 2-6 4-10 5-8 8-9 8-18 18-19 19-20 20-23
ring bonds :
1-2 1-5 2-3 3-4 4-5
exact/norm bonds :
1-2 1-5 1-7 2-3 2-6 3-4 4-5 4-10 5-8 8-9 8-18 18-19 19-20 20-23

G1: [*1], [*2], [*3]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 9:CLASS
10:CLASS 11:CLASS 12:CLASS 13:Atom 18:CLASS 19:Atom 20:CLASS 23:Atom

10/616031

chain nodes :
6 7 8 9 10 11 13 18 19 20 23
ring nodes :
1 2 3 4 5
ring/chain nodes :
12
chain bonds :
1-7 2-6 4-10 5-8 8-9 8-18 18-19 19-20 20-23
ring bonds :
1-2 1-5 2-3 3-4 4-5
exact/norm bonds :
1-2 1-5 1-7 2-3 2-6 3-4 4-5 4-10 5-8 8-9 8-18 18-19 19-20 20-23

G1:[*1],[*2],[*3]

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 9:CLASS
10:CLASS 11:CLASS 12:CLASS 13:Atom 18:CLASS 19:Atom 20:CLASS 23:Atom

L8 STRUCTURE UPLOADED

=> d 18
L8 HAS NO ANSWERS
L8 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *
Structure attributes must be viewed using STN Express query preparation.

=> s 18
SAMPLE SEARCH INITIATED 18:01:07 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 58 TO ITERATE

100.0% PROCESSED 58 ITERATIONS 46 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 704 TO 1616
PROJECTED ANSWERS: 514 TO 1326

L9 46 SEA SSS SAM L8

=> s 19 sss full
FULL SEARCH INITIATED 18:01:22 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 1129 TO ITERATE

100.0% PROCESSED 1129 ITERATIONS 891 ANSWERS
SEARCH TIME: 00.00.01

L10 891 SEA SSS FUL L8

=> s 18 sss full
FULL SEARCH INITIATED 18:01:41 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 1129 TO ITERATE

100.0% PROCESSED 1129 ITERATIONS 891 ANSWERS

10/616031

SEARCH TIME: 00.00.01

L11 891 SEA SSS FUL L8

=> save l11

ENTER NAME OR (END) :ten616031/a

'TEN616031/A' IN USE

A single name cannot be used for two saved items at the same time.
Enter "Y" if you wish to replace the current saved name with a new
definition. Enter "N" if the current saved definition must be
preserved. You may then reenter the SAVE command with a different
saved name. Enter "DISPLAY SAVED" at an arrow prompt (=>) to see a
list of your currently defined saved names.

REPLACE OLD DEFINITION? Y/(N):y

ANSWER SET L11 HAS BEEN SAVED AS 'TEN616031/A'

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION

FULL ESTIMATED COST

485.71	654.44
--------	--------

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION

CA SUBSCRIBER PRICE

0.00	-0.73
------	-------

FILE 'CAPLUS' ENTERED AT 18:02:18 ON 25 JUN 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 25 Jun 2005 VOL 143 ISS 1

FILE LAST UPDATED: 24 Jun 2005 (20050624/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l11

L12 2 L11

=> d l12 1-2 bib abs fhitstr

L12 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:41225 CAPLUS

DN 140:111271

TI Preparation of pyrrolecarboxamides as HIV integrase inhibitors

IN Walker, Michael A.; Ma, Zhuping; Naidu, B. Narasimhulu; Sorenson, Margaret E.; Pendri, Annapurna; Banville, Jacques; Plamondon, Serge; Remillard, Roger

PA Bristol-Myers Squibb Company, USA





10/616031

SO PCT Int. Appl., 331 pp.
CODEN: PIXXD2

DT Patent
LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004004657	A2	20040115	WO 2003-US21371	20030709
	WO 2004004657	A3	20041104		
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	US 2004110804	A1	20040610	US 2003-616031	20030709
PRAI	US 2002-394548P	P	20020709		
	US 2002-399248P	P	20020729		
OS	MARPAT 140:111271				
GI					




AB The title compds. R1CHR2NR3B1 [I; R1 = (un)substituted Ph, naphthyl, furyl, etc.; R2 = H, alkyl, (un)substituted aryl, alkylaryl; R3 = H, alkyl, alkylaryl, (un)substituted OH; B1 = II-IV (wherein R10 = H, alkyl, cycloalkyl, etc.; R11 = alkyl, cycloalkyl, aryl, etc.)] which inhibit HIV integrase, and are useful for treatment of AIDS or ARC, were prepared E.g., a multi-step synthesis of V which showed 99.9% inhibition of HIV integrase at 20 μ M, was given. Pharmaceutical composition comprising the compds. I is claimed.

IT 646042-18-4P

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of pyrrolecarboxamides as HIV integrase inhibitors)


RN 646042-18-4 CAPLUS

CN 1H-Pyrrole-3-carboxamide, N-[(3,4-dichlorophenyl)methyl]-2,5-dihydro-4-hydroxy-N-methyl-1-[2-(methylamino)ethyl]-5-oxo- (9CI) (CA INDEX NAME)




L12 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1968:114457 CAPLUS
 DN 68:114457
 TI 1-Carbamoyl- and 1-aminomethyl-1,4-dihydropyrrolo[3,4-b]indole derivatives. Indole formation by fragmentation of strain-barrier stabilized 2-aminoindoline derivatives
 AU Southwick, Philip L.; Vida, Julius A.; Fitzgerald, Berenice M.; Lee, Sung Ki
 CS Carnegie-Mellon Univ., Pittsburgh, PA, USA
 SO Journal of Organic Chemistry (1968), 33(5), 2051-6
 CODEN: JOCEAH; ISSN: 0022-3263
 DT Journal
 LA English
 GI For diagram(s), see printed CA Issue.
 AB 1-Substituted-4,5-dicarboxy-2,3-dioxopyrrolidines were prepared by addition of primary amines to di-Et maleate, followed by base-catalyzed condensation of the resulting N-substituted di-Et aspartates with Et oxalate. Base-catalyzed amide-ester interchange performed on the 1-cyclohexyl derivative with cyclohexylamine or benzylamine then afforded 1-cyclohexyl-4,5-bis(N-substituted carbamoyl)-2,3-dioxopyrrolidines (I). When treated with acids, I phenylhydrazone underwent the initial transformations of the Fischer indole synthesis to yield 3a-amino-1,8b-bis(N-substituted carbamoyl) - 2 - cyclohexyl - 1,3a,4,8b - tetrahydropyrrolo[3,4 - b]indol-3(2H)-ones (II), which failed to undergo the normal spontaneous NH₃ elimination, and therefore did not form the strained ring system of the corresponding indolenines. Instead, at elevated temps. under acidic or basic conditions II underwent a smooth fragmentation with elimination of both the 3a-amino and 8b-carbamoyl groups to yield 1-(N-substituted carbamoyl)-2 - cyclohexyl - 1,4 - dihydropyrrolo[3,4 - b]indol - 3(2H) - ones (III). LiAlH₄ reduction of III under appropriate conditions yielded 1-(N-substituted carbamoyl)- or 1-(N-substituted-aminomethyl)-1,4-dihydropyrrolo[3,4-b]indoles (IV). IV represent a new type of tryptamine analog. 11 references.
 IT 16206-08-9P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 RN 16206-08-9 CAPLUS
 CN 3-Pyrroline-2,3-dicarboxamide, N,N'-dibenzyl-1-cyclohexyl-4-hydroxy-5-oxo-(8CI) (CA INDEX NAME)

10/616031



=> d 112 2 hitstr

L12 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN
IT 16206-08-9P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)
RN 16206-08-9 CAPLUS
CN 3-Pyrroline-2,3-dicarboxamide, N,N'-dibenzyl-1-cyclohexyl-4-hydroxy-5-oxo-
(8CI) (CA INDEX NAME)



=> file caold

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
13.52	667.96

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-1.46	-2.19

CA SUBSCRIBER PRICE

FILE 'CAOLD' ENTERED AT 18:04:10 ON 25 JUN 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966

FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent

10/616031

assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

=> d his

(FILE 'HOME' ENTERED AT 17:53:57 ON 25 JUN 2005)

FILE 'REGISTRY' ENTERED AT 17:54:25 ON 25 JUN 2005

L1 STRUCTURE UPLOADED
L2 2 S L1
L3 34 S L1 SSS FULL
 SAVE L3 TEN616031/A

FILE 'CAPLUS' ENTERED AT 17:55:18 ON 25 JUN 2005

L4 1 S L3

FILE 'REGISTRY' ENTERED AT 17:58:23 ON 25 JUN 2005

L5 STRUCTURE UPLOADED
L6 0 S L5
L7 0 S L5 SSS FULL
L8 STRUCTURE UPLOADED
L9 46 S L8
L10 891 S L9 SSS FULL
L11 891 S L8 SSS FULL
 SAVE L11 TEN616031/A

FILE 'CAPLUS' ENTERED AT 18:02:18 ON 25 JUN 2005

L12 2 S L11

FILE 'CAOLD' ENTERED AT 18:04:10 ON 25 JUN 2005

=> s l11
L13 0 L11

=> file chemcats

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.43	668.39
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-2.19

FILE 'CHEMCATS' ENTERED AT 18:04:33 ON 25 JUN 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)

FILE LAST UPDATED 18 JUNE 2005 (20050618/UP)

For details on recent updates in CHEMCATS, enter NEWS FILE at an arrow prompt. For the list of suppliers currently in the file, enter HELP SPA, HELP SPBC, HELP SPDH, HELP SPIN, HELP SPOP, and HELP SPQZ.

10/616031

For the list of current catalogs, enter HELP CTA, HELP CTBC, HELP CTDH, HELP CTIN, HELP CTOP, and HELP CTQZ.

This database is provided on an "as is" basis. Please consult the suppliers for current information regarding pricing, regional availability, available quantities, purities, etc. THERE ARE NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED. ACS is not liable for any loss of profit, goodwill or any other damages arising out of the use of this database.

CHEMCATS now contains more than 8 million records. See HELP CONTENT and NEWS FILE for details.

=> s l11
L14 0 L11

=> log h

	SINCE FILE	TOTAL
	ENTRY	SESSION
COST IN U.S. DOLLARS		
FULL ESTIMATED COST	0.88	669.27
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
CA SUBSCRIBER PRICE	ENTRY	SESSION
	0.00	-2.19

SESSION WILL BE HELD FOR 60 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 18:04:41 ON 25 JUN 2005